



safire
SMART



CATÁLOGO CCTV
2023



ÍNDICE



CÁMARAS IP 4



CÁMARAS PTZ 8



NVR 9



CÁMARAS ANALÓGICAS 12



XVR'S HD 14



SOFTWARE 15


LA EVOLUCIÓN DE UN LÍDER

- Safire es una de las principales marcas a nivel mundial en diseño, desarrollo y fabricación de productos y soluciones CCTV en estos años.
- Las nuevas tecnologías y tendencias sobre análisis e IA en el mercado de CCTV han hecho que Safire se modernice y evolucione adaptándose a las necesidades de mercado.
- Así, surge la experiencia y calidad de Safire con las últimas tecnologías del mercado.

¿QUÉ APORTA SAFIRE SMART?

Incorpora las últimas innovaciones en compresión de vídeo, diseño de hardware, desarrollo de software y algoritmos de IA.

Crecerá como desarrollador de soluciones totales, ofreciendo productos únicos que incluyen un completo catálogo en cámaras IP, analógicas HD, grabadores NVR y DVR, soluciones de software, APPs y aplicaciones WEB.



Ofrece la última tecnología con un precio muy competitivo, la confianza de la calidad de sus productos y el compromiso de mejorar la seguridad y la protección de la vida y el patrimonio de las personas en 19 países.

Cumple con la normativa NDAA y podrá actualizar sus instalaciones de CCTV incluso federales y gubernamentales.



CÁMARAS IP

B SERIES

2 MP / 4 MP



- Night Color, imagen a color 24/7
- Rango dinámico extendido WDR
- Micrófono incorporado
- Modelos para exterior y antivandálicos
- Smart IR 2.0

Night**COLOR**

WDR



CÁMARAS IP | BULLET

B SERIES

	SF-IPB070A-2B1	IP Bullet camera B1 Series 2 MP 2.8 mm Lens Built in Mic IR 20 m PoE (IEEE802.3af) IP67
	SF-IPB070-4B1	IP Bullet camera B1 Series 4 MP 2.8 mm Lens Built in Mic IR 20 m PoE (IEEE802.3af) IP67

CÁMARAS IP | TURRET

B SERIES

	SF-IPT010A-2B1	IP Turret camera B1 Series 2 MP 2.8 mm Lens Built in Mic IR 20 m PoE (IEEE802.3af) IP67
	SF-IPT010A-4B1	IP Turret camera B1 Series 4 MP 2.8 mm Lens Built in Mic IR 20 m PoE (IEEE802.3af) IP67

E SERIES

4 MP



- Sensor BSI y Starlight
- Algoritmo de análisis basado en AI de humanos y coches
- Modelos para exterior y antivandálicos



CÁMARAS IP | BULLET

E SERIES

	SF-IPB080A-4E1	IP Bullet camera E1 Series 4 MP 2.8 mm Lens Built in Mic IR 20 m PoE (IEEE802.3af) IP67
	SF-IPB080A-4WE1	IP Bullet camera E1 Series 4 MP 2.8 mm Lens Built in Mic IR 20 m PoE (IEEE802.3af) IP67



CÁMARAS IP

CÁMARAS IP | BULLET

E SERIES

	SF-IPB371CA-4E1	IP Bullet camera Night color E1 Series 4 MP 2.8 mm Lens Built in Mic IR 50 m PoE (IEEE802.3af) IP67
	SF-IPB380A-4E1-0360	IP Bullet camera E1 Series 4 MP 3.6 mm Lens Built in Mic IR 50 m PoE (IEEE802.3af) IP67
	SF-IPB571ZCA-4E1-DL	IP Bullet camera Night color E1 Series 4 MP 2.8-12mm Autofocus motorized lens Built in Mic IR 40 m PoE (IEEE802.3af) IP67
	SF-IPB580ZA-4E1	IP Bullet camera E1 Series 4 MP 2.8-12mm Autofocus motorized lens Built in Mic IR 50 m PoE (IEEE802.3af) IP67

CÁMARAS IP | DOMO

E SERIES

	SF-IPD040A-4E1	IP Dome camera E1 Series 4 MP 2.8 mm Lens Built in Mic IR 20 m PoE (IEEE802.3af) IP67
	SF-IPD540ZA-4E1	IP Dome camera E1 Series 4 MP 2.8-12mm Autofocus motorized lens Built in Mic IR 40 m PoE (IEEE802.3af) IP67

CÁMARAS IP | TURRET

E SERIES

	SF-IPT011CA-4E1	IP Turret camera Night color E1 Series 4 MP 2.8 mm Lens Built in Mic IR 20 m PoE (IEEE802.3af) IP67
	SF-IPT020A-4E1	IP Turret camera E1 Series 4 MP 2.8 mm Lens Built in Mic, IR 20 m PoE (IEEE802.3af) IP67
	SF-IPT511CA-4E1-DL	IP Turret camera Night color E1 Series 4 MP 2.8 mm Lens Built in Mic, IR 40 m PoE (IEEE802.3af) IP67
	SF-IPT520ZA-4E1	IP Turret camera E1 Series 4 MP 2.8-12mm Autofocus motorized lens Built in Mic IR 40 m PoE (IEEE802.3af) IP67



CÁMARAS IP

I SERIES

4 MP / 6 MP / 8 MP



- Sensor BSI y Starlight
- Algoritmo de análisis basado en AI
- Video estructurado con extracción de atributos en humano y vehículo (**Excepto serie - 811**)
- Detección de humano, vehículo motorizado y vehículo no motorizado
- Detección facial (**Excepto serie - 811**)
- Modelos para exterior y antivandálicos

CÁMARAS IP | BULLET

I SERIES

	SF-IPB080A-4I1	IP Bullet camera I1 Series 4 MP 2.8 mm Lens Built in Mic IR 30 m PoE (IEEE802.3af) IP67
	SF-IPB370A-4I1-0360	IP Bullet camera I1 Series 4 MP 3.6 mm Lens Built in Mic IR 30 m PoE (IEEE802.3af) IP67
	SF-IPB370A-8I1	IP Bullet camera I1 Series 8 MP 3.6 mm Lens Built in Mic IR 50 m PoE (IEEE802.3af) IP67
	SF-IPB585ZA-4I1	IP Bullet camera I1 Series 4 MP 2.8-12mm Autofocus motorized lens Built in Mic IR 70 m PoE (IEEE802.3af) IP67
	SF-IPB585ZA-4I1-0722	IP Bullet camera I1 Series 4 MP 7-22mm Autofocus motorized lens Built in Mic IR 70 m PoE (IEEE802.3af) IP67
	SF-IPB585ZA-8I1	IP Bullet camera I1 Series 8 MP 7-22mm Autofocus motorized lens Built in Mic IR 70 m PoE (IEEE802.3af) IP67

CÁMARAS IP | DOMO

I SERIES

	SF-IPD040A-4I1	IP Dome camera I1 Series 4 MP 2.8 mm Lens Built in Mic IR 30 m PoE (IEEE802.3af) IP67
	SF-IPD040A-8I1	IP Dome camera I1 Series 8 MP 2.8 mm Lens Built in Mic IR 30 m PoE (IEEE802.3af) IP67
	SF-IPD050A-4I1	IP Dome camera I1 Series 4 MP 2.8 mm Lens Built in Mic IR 30 m PoE (IEEE802.3af) IP67



CÁMARAS IP

CÁMARAS IP | DOMO

I SERIES

	SF-IPD540ZA-4I1	IP Dome camera I1 Series 4 MP 2.8-12mm Autofocus motorized lens Built in Mic IR 70 m PoE (IEEE802.3af) IP67
	SF-IPD540ZA-8I1	IP Dome camera I1 Series 8 MP 2.8-12mm Autofocus motorized lens Built in Mic IR 70 m PoE (IEEE802.3af) IP67
	SF-IPD360A-6I1	IP Fisheye camera I1 Series 6 MP 1.1mm lens Fisheye 180° Built in Mic IR 30 m PoE (IEEE802.3af) IP67

CÁMARAS IP | TURRET

I SERIES

	SF-IPT020A-4I1	IP Turret camera I1 Series 4 MP 2.8 mm Lens Built in Mic IR 30 m PoE (IEEE802.3af) IP67
	SF-IPT020A-8I1	IP Turret camera I1 Series 8 MP 2.8 mm Lens Built in Mic IR 30 m PoE (IEEE802.3af) IP67
	SF-IPT520ZA-4I1	IP Turret camera I1 Series 4 MP 2.8-12mm Autofocus motorized lens Built in Mic IR 50 m PoE (IEEE802.3af) IP67
	SF-IPT520ZA-8I1	IP Turret camera I1 Series 8 MP 2.8-12mm Autofocus motorized lens Built in Mic IR 50 m PoE (IEEE802.3af) IP67



CÁMARAS PTZ

B / E / I SERIES

2 MP / 4 MP / 8 MP



- Modelos 3/4/5/8 Pulgadas
- Zoom óptico de x4/x15/x32/x37/x40
- Resolución hasta 4K
- Tecnología gráfica de AI ISP
- Iluminación laser hasta 500m
- Smart tracking personas / vehículos
- Disuasión Activa
- Detección de humano/vehículo
- Reconocimiento facial: Hasta 30 rostros al mismo tiempo
- Nivel de protección IP67 / IK10

CÁMARAS PTZ

B SERIES

	SF-IPSD3004TA-4SB1-DL	4 MP Motorised IP Camera B1 Series Lens 2.8~12 mm (4X) FOV 97° - 31° Bi-directional audio IR LEDs 50m 2 White LEDs 30m
---	------------------------------	---

CÁMARAS PTZ

E SERIES

	SF-IPSD4015IT-2E1	2 MP Motorised IP Camera E1 Series Lens 5~75 mm (15X) FOV 54° - 32° Bi-directional audio IR LEDs 200m
	SF-IPSD4025ITA-4E1	4 MP Motorised IP Camera E1 Series Lens 4.8~120 mm (25X) FOV 55° - 33° Bi-directional audio IR LEDs 150m
	SF-IPSD4025ITA-8E1	8 MP Motorised IP Camera E1 Series Lens 4.8~120 mm (25X) FOV 55° - 33° Bi-directional audio IR LEDs 150m

CÁMARAS PTZ

I SERIES

	SF-IPSD5032ITA-8I1	8 MP Motorised IP Camera I1 Series Lens 4.8~154 mm (32X) FOV 61.3° - 36.9° Bi-directional audio IR LEDs 200m
	SF-IPSD5040ITA-4I1	4 MP Motorised IP Camera I1 Series Lens 4.5~180 mm (40X) FOV 59.1° - 38.4° Bi-directional audio IR LEDs 200m
	SF-IPSD8037ITA-4X1-L500	4 MP Motorised IP Camera I1 Series Lens 6~208 mm (37X) FOV 59.1° - 39.6° Bi-directional audio IR LEDs 500m



-  Modelos de 4/8/16 CH
-  1HDD
-  Eventos VCA
-  Función POS

NVR

B1 SERIES

	SF-NVR3104-B1	NVR for IP cameras B1 Series 4 CH IP video H 265 Maximum resolution 8 MP Bandwidth 40 Mbps VGA and HDMI Full HD outputs Supports 1 HDD VCA Events of IP cameras POS
	SF-NVR3104-4P-B1	NVR for IP cameras B1 Series 4 CH IP video H 265 Maximum resolution 8 MP 4 CH PoE 40W Bandwidth 40 Mbps VGA and HDMI Full HD outputs Supports 1 HDD VCA Events of IP cameras POS
	SF-NVR3108-B1	NVR for IP cameras B1 Series 8 CH IP video H 265 Maximum resolution 8 MP Bandwidth 40 Mbps VGA and HDMI Full HD outputs Supports 1 HDD VCA Events of IP cameras POS
	SF-NVR3108-8P-B1	NVR for IP cameras B1 Series 8 CH IP video H 265 4 CH PoE 40W Maximum resolution 8 MP Bandwidth 40 Mbps VGA and HDMI Full HD outputs Supports 1 HDD VCA Events of IP cameras POS
	SF-NVR3116-B1	NVR for IP cameras B1 Series 16 CH IP video H 265 Maximum resolution 8 MP Bandwidth 40 Mbps VGA and HDMI Full HD outputs Supports 1 HDD VCA Events of IP cameras POS



- Modelos de 8/16/32/64 CH
- Puertos PoE
- Detección Facial, comparación y seguimiento.
- Base de datos de hasta 5000 rostros
- Video estructurado

NVR

A1 SERIES

	SF-NVR6108A-A1	NVR for IP cameras A1 Series 8 CH IP video H 265 Maximum resolution 8 MP Bandwidth 80 Mbps VGA and HDMI Full HD outputs Supports 1 HDD VCA Face rec Smart search
	SF-NVR6108A-8P-A1	NVR for IP cameras A1 Series 8 CH IP video H 265 8 CH PoE 80W Maximum resolution 8 MP Bandwidth 80 Mbps VGA and HDMI Full HD outputs Supports 1 HDD VCA Face rec Smart search
	SF-NVR6216A-A1	NVR for IP cameras A1 Series 16 CH IP video H 265 Maximum resolution 8 MP Bandwidth 80 Mbps VGA and HDMI Full HD outputs Supports 1 HDD VCA Face rec Smart search
	SF-NVR6216A-8P-A1	NVR for IP cameras A1 Series 16 CH IP video H 265 8 CH PoE 80W Maximum resolution 8 MP Bandwidth 80 Mbps VGA and HDMI Full HD outputs Supports 1 HDD VCA Face rec Smart search
	SF-NVR6232A-A1	NVR for IP cameras A1 Series 32 CH IP video H 265 Maximum resolution 8 MP Bandwidth 80 Mbps VGA and HDMI Full HD outputs Supports 2 HDD VCA Face rec Smart search
	SF-NVR6864A-A1	NVR for IP cameras A1 Series 64 CH IP video H 265 Maximum resolution 12 MP Bandwidth 80 Mbps VGA and HDMI Full HD outputs Supports 4 HDD VCA Face rec Smart search



- Modelos de 8/16/32/64 CH
- Puertos PoE
- Detección facial, comparación y seguimiento
- Base de datos de 10000 rostros
- Dewarping para cámaras Fisheye
- Vídeo estructurado

NVR

A2 SERIES

	SF-NVR8108A-A2	NVR for IP cameras A2 Series 12 CH IP video H 265 Maximum resolution 12 MP Bandwidth 192 Mbps VGA and HDMI Full HD outputs Supports 1 HDD VCA Face rec Smart search
	SF-NVR8216A-A2	NVR for IP cameras A2 Series 16 CH IP video H 265 Maximum resolution 12 MP Bandwidth 192 Mbps VGA and HDMI Full HD outputs Supports 1 HDD VCA Face rec Smart search
	SF-NVR8232A-A2	NVR for IP cameras A2 Series 32 CH IP video H 265 Maximum resolution 12 MP Bandwidth 192 Mbps VGA and HDMI Full HD outputs Supports 2 HDD VCA Face rec Smart search
	SF-NVR8432A-A2	NVR for IP cameras A2 Series 32 CH IP video H 265 Maximum resolution 12 MP Bandwidth 192 Mbps VGA and HDMI Full HD outputs Supports 4 HDD VCA Face rec Smart search
	SF-NVR8416A-A2	NVR for IP cameras A2 Series 16 CH IP video H 265 Maximum resolution 12 MP Bandwidth 160 Mbps VGA and HDMI Full HD outputs Supports 4 HDD VCA Face rec Smart search
	SF-NVR8432A-16P-A2	NVR for IP cameras A2 Series 32 CH IP video H 265 16 CH PoE 80W Maximum resolution 12 MP Bandwidth 160 Mbps VGA and HDMI Full HD outputs Supports 4 HDD VCA Face rec Smart search



CÁMARAS ANALÓGICAS

B SERIES

2 MP / 5 MP



- Night Color, imagen a color 24/7
- Smart IR 2.0
- Micrófono incorporado
- Modelos con lente fija y lente varifocal
- Modelos para exterior y antivandálicos



CÁMARAS ANALÓGICAS | BULLET

B SERIES

	SF-B070A-2B1	Bullet camera 2 MP 2.8mm fixed lens Smart IR 2.0 30 m IP67
	SF-B080-2B1	Bullet camera 2 MP 2.8mm fixed lens IR 30 m IP67
	SF-B070CA-2B1	Bullet camera Night Color 2 MP 2.8mm fixed lens Smart IR 2.0 30m audio IP67
	SF-B080A-5B1-0360	Bullet camera 5 MP 3.6mm fixed lens audio IP67
	SF-B080CA-5B1-0360	Bullet camera Night Color 5 MP 3.6mm fixed lens audio IP67
	SF-B580V-2B1	Bullet camera 2 MP 2.8-12mm Varifocal lens Smart IR 2.0 50m IP67

CÁMARAS ANALÓGICAS | TURRET

B SERIES

	SF-T010-2B1L	Turret camera 2 MP 2.8mm fixed lens Smart IR 2.0 30 m IP67
	SF-T010A-2B1	Turret camera 2 MP 2.8mm fixed lens Smart IR 2.0 30 m audio IP67
	SF-T010CA-2B1	Turret camera Night Color 2 MP 2.8mm fixed lens IR 30 m IP67
	SF-T010A-5B1-0360	Turret camera 5 MP 3.6mm fixed lens IR 30 m audio IP67
	SF-T020-2B1	Turret camera 2 MP 2.8 fixed lens Smart IR 2.0 30 m IP67
	SF-T020-5B1-0360	Turret camera 5 MP 3.6mm fixed lens mm Smart IR 2.0 30 m IP67
	SF-T020CA-5B1-0360	Turret camera Night Color 5 MP 3.6mm fixed lens Smart IR 2.0 30 m IP67
	SF-T520V-2B1	Turret camera Night Color 2 MP 2.8-12mm Varifocal lens Smart IR 2.0 50m IP67



CÁMARAS ANALÓGICAS

E SERIES

2 MP / 5 MP



- Sensor Starlight
- Night Color, imagen a color 24/7
- Smart IR 2.0
- Modelos con lente varifocal motorizada
- Modelos para exterior y antivandálicos

Night**COLOR**



CÁMARAS ANALÓGICAS | BULLET

E SERIES

	SF-B080S-2E1	Bullet camera Starlight 2 MP 2.8mm fixed lens Smart IR 2.0 30 m IP67
	SF-B380-5E1	Bullet camera 5 MP 2.8mm fixed lens Smart IR 2.0 50m IP67
	SF-B580ZS-2E1	Bullet camera Starlight 2 MP 2.8-12mm Autofocus motorized lens Smart IR 2.0 50m IP67
	SF-B580Z-5E1	Bullet camera 5 MP 2.8-12mm Autofocus motorized lens Smart IR 2.0 50m IP67
	SF-B585Z-5E1	Bullet camera 5 MP 2.8-12mm Autofocus motorized lens Smart IR 2.0 50m IP67

CÁMARAS ANALÓGICAS | DOME

E SERIES

	SF-D040S-2E1	Dome camera Starlight 2 MP 2.8 fixed lens Smart IR 2.0 30 m IP67 IK10
	SF-D040-5E1	Dome camera 5 MP 2.8mm fixed lens Smart IR 2.0 30 m IP67 IK10

CÁMARAS ANALÓGICAS | TURRET

E SERIES

	SF-T020S-2E1	Turret camera Starlight 2 MP 2.8mm fixed lens Smart IR 2.0 30 m IP67
	SF-T020-5E1	Turret camera 5 MP 2.8mm fixed lens Smart IR 2.0 30 m IP67
	SF-T520ZS-2E1	Turret camera Starlight 2 MP 2.8-12mm Autofocus motorized lens Smart IR 2.0 50m IP67
	SF-T520Z-5E1	Turret camera 5 MP 2.8-12mm Autofocus motorized lens Smart IR 2.0 50m IP67



XVR'S HD

HG / HQ / HU SERIES

1080P / 5 MP / 8 MP



- Modelos de 4/8/16 CH
- Hasta 8 CH IP
- Entrada / salida de audio
- Capacidad de hasta 1 HDD

XVR

HG SERIES

	SF-XVR3104-HG	XVR analogue recorder 4 CH 2 IP (Up to 2 MP) 1080p resolution 1080p 1 HDD 10 TB audio
	SF-XVR3108-HG	XVR analogue recorder 8 CH 2 IP (Up to 5 MP) 1080p resolution 1080p 1 HDD 10 TB audio
	SF-XVR3116-HG	XVR analogue recorder 16 CH 2 IP (Up to 5 MP) 1080p resolution 1080p 1 HDD 10 TB audio

XVR

HQ SERIES

	SF-XVR6104-HQ	XVR analogue recorder 4 CH 2IP (Up to 5 MP) resolution 5 MP 1 HDD 10 TB audio
	SF-XVR6108-HQ	XVR analogue recorder 8 CH 4 IP (Up to 5 MP) resolution 5 MP 1 HDD 10 TB audio
	SF-XVR6116-HQ	XVR analogue recorder 16 CH 8 IP (Up to 5 MP) resolution 5 MP 1 HDD 10 TB audio

XVR

HU SERIES

	SF-XVR8104A-HU	XVR analogue recorder 4 CH 2 IP (Up to 8 MP) resolution 8 MP 1 HDD 10 TB audio
	SF-XVR8208A-HU	XVR analogue recorder 8 CH 8 IP (Up to 8 MP) resolution 8 MP 2 HDD 10 TB audio
	SF-XVR8216A-HU	XVR analogue recorder 16 CH 8 IP (Up to 8 MP) resolution 8 MP 2 HDD 10 TB audio



SOFTWARE

SAFIRE SMART PRODUCTOS Y FUNCIONES

VMS LITE

Safire Smart VMS Lite es un programa de gestión de video profesional y sencillo con una interfaz fácil de utilizar. Soporta todos los productos Safire Smart y los dispositivos de los principales fabricantes del Mercado (Hikvision, Dahua, TVT...).

Está equipado de un sistema potente de supervisión de video y de aplicación AI básica. Gracias a su interfaz sencilla y flexible, el Safire Smart VMS Lite cubre muchas de las necesidades de pequeños y medianos proyectos.

- 256 Canales
- Interfaz Sencilla, user-friendly GUI
- Amplia integración con dispositivos de terceras partes (SDK, RTSP & ONVIF)
- Soporta Supervisión Facial, Control de acceso, Conteo de Personas y Analítica desde cámaras IP/NVR
- Soporta TV wall y Teclados

EDITION	LITE
SYSTEM CAPACITY	
Channels	256
Devices	64
Max clients	1
OS	Windows/Mac
Web browser client	×
APP	×
INTELLIGENT ANALYSIS	
Face surveillance	256
People counting	64
Behavior analysis device	1
Face greeting	Windows/Mac
Face attendance	×
Parking management	×

* Versiones de mayor funcionalidad para instalaciones industriales y centros de control



NDA EN TODOS LOS PRODUCTOS IP

Todos los productos IP de Safire Smart cuentan con NDA, certificación expedida por el gobierno de EEUU, que garantiza la confidencialidad y protección de información sensible en sistemas de videovigilancia.

Esta certificación se está convirtiendo en un requisito fundamental también en Europa, debido a que establece las normas de seguridad y privacidad para el uso de CCTV de forma fiable.





Find your local distributor at:



SAFIRE
www.safirecctv.com
info@safirecctv.com

